

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	4	("4225787").PN.	USPAT; EPO; JPO; DERWENT	OR	OFF	2007/05/07 14:31
L3	1	2 and ((determine or determining or measure or measuring or monitor or monitoring) with (power or current) with stator)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/07 14:32
S1	68	Kitami-Takayuki.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/04 19:07
S2	44	S1 and rotary and anode and x-ray	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/04 19:07
S3	2	S1 and rotary and anode and x-ray and (drive adj conditions)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/04 19:08
S4	1	(x-ray adj tube) and ((rotary or rotating) adj2 anode) and vacuum and shaft and (stator adj coil) and bearing and (memory with (drive or driving) with conditions)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/07 09:27
S5	94	(378/131).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/04 19:12

EAST Search History

S6	12	S5 and (memory or storage)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/04 19:12
S7	21	(x-ray adj2 tube) and ((rotary or rotating) adj2 anode) and vacuum and shaft and (stator adj coil) and bearing and ((drive or driving) with stator with coil)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/04 19:45
S8	2120	(378/91,92,101,131,143,144).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/04 19:21
S9	0	S8 and tube and ((rotating or rotary or rotate or rotated) with anode) and (stator adj coil) and (drive with condition)	USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/04 19:22
S10	1	S8 and tube and ((rotating or rotary or rotate or rotated) with anode) and (stator adj coil) and (drive with condition)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/04 19:22
S11	4	x-ray and tube and ((rotating or rotary or rotate or rotated) with anode) and (stator adj coil) and (drive with condition)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/04 19:22
S12	12	("2185826" "3456175" "4426720" "4458193" "4585985" "4672288"). PN. OR ("4819259").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/05/04 19:28
S13	94	(378/131).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/04 19:45

EAST Search History

S14	369	(378/101).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/04 19:46
S15	0	S14 and ((rotary or rotating) adj2 anode) and vacuum and shaft and (stator adj coil) and bearing	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/04 19:46
S16	0	S14 and ((rotary or rotating) adj2 anode) and vacuum and (stator adj coil) and bearing	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/04 19:46
S17	0	S14 and ((rotary or rotating) with anode) and vacuum and (stator adj coil) and bearing	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/04 19:46
S18	35	S14 and ((rotary or rotating) with anode)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/04 19:47
S19	33	S18 not S13	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/04 19:47
S20	31	(x-ray adj tube) and ((rotary or rotating) adj2 anode) and vacuum and shaft and (stator adj coil) and bearing and (drive or driving or power)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/04 20:05

EAST Search History

S21	17772312	JP 5-315091	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/04 20:05
S22	0	JP5-315091.pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/04 20:05
S23	17772312	JP 5-315091.pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/04 20:06
S24	0	5-315091.pn.	JPO	OR	ON	2007/05/04 20:06
S25	0	5-315091	JPO	OR	ON	2007/05/04 20:06
S26	0	("5-315091").PN.	USPAT; EPO; JPO; DERWENT	OR	OFF	2007/05/04 20:06
S27	0	("5-315091").PN.	JPO	OR	OFF	2007/05/04 20:06
S28	0	("5315091").PN.	JPO	OR	OFF	2007/05/04 20:18
S29	0	Akira-Hisayoshi.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/04 20:18
S30	31	Hisayoshi-Akira.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/04 20:19
S31	0	("27andanodeandx-ray").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/04 20:18

EAST Search History

S32	31	Hisayoshi-Akira.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/04 20:19
S33	2	S32 and x-ray and tube and anode	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/04 20:19
S34	241	hashizume-hiroshi.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/04 20:19
S35	1	S34 and x-ray and tube and anode	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/04 20:20
S36	58	kitade-koichi.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/04 20:20
S37	37	S36 and x-ray and tube and anode	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/04 20:20
S38	6	S36 and x-ray and tube and anode and control and rotary	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/04 20:22

EAST Search History

S39	13	oe-keiichi.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/04 20:22
S40	2	S39 and rotary and anode and x-ray	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/04 20:22
S41	20	(x-ray adj tube) and ((rotary or rotating) adj2 anode) and ((power or current) with stator with (predetermined or threshold))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/07 09:43
S42	22	(x-ray adj tube) and ((rotary or rotating) adj2 anode) and ((determine or determining or measure or measuring or monitor or monitoring) with (power or current) with stator)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/07 14:32
S43	16	S42 not S41	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/07 09:44